## RECEIVED **CENTRAL FAX CENTER**

## MAR 0 3 2006

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Appl. No.

10/707,173

Filed

Nov. 25, 2003

Atty. Docket No.

02-1231

For

Method for Preparing Ultra Fine, Submicron Grain Titanium and

Titanium-Alloy Articles and Articles Prepared Thereby

Date

February 28, 2006

CERTIFICATE OF FACSIMILE TRANSMISSION

The undersigned hereby certifies that this correspondence (Epages) is being transmitted by facsimile to the Centralized Facsimile Number (571-

273-8300), Commissioner for Patents, P.O. Box 1450, Alexandria,

Virginia 22313-1450 on the date set forth below.

Commissioner for Patents

P.O. Box 1450

. Alexandria, VA 22313-1450

Date

David Kaplan

## SUBMISSION OF POWER OF ATTORNEY

Sir:

Please accept the following power of attorney form, and statement under 37 CFR 3.73(h), in the above-referenced patent application. Applicants hereby request that all future correspondence be directed to Customer Number 44702, Ostrager Chong Flaherty & Broitman, P.C., 250 Park Avenue, Suite 825, New York, New York 10177-0899.

Respectfully submitted,

February 28, 2006

Date

Yoshua S. Broitman ég. No. 38,006

Ostrager Chong Flaherty &

Broitman P.C.

250 Park Avenue, Suite 825

New York, New York 10177-0899

Tel. No.: (212) 681-0600

MAR 0 3 2006

PTC/SB/80 (04-05)

Approved for use through 11/30/2005, OMB 0651-0035

U.S. Palent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

POWER OF	ATTORNEY TO PRO	SECUTE APP	LICATIONS BEF	ORE THE U	SPTO
hereby revoke all pre	evious powers of attorney	given in the applic	ation identified in th	ne attached state	ement under
7 CFR 3.73(b).				<del></del> _	
hereby appoint:		4470	Ż.		
Practitioners associa	ated with the Customer Number.	4470			
ORAND			normal then a distorre	er number must be u	(b9aı
Practitioner(s) name	ed below (if more than ten patent	blacegousis signo	a litterated trust or a		Registration
	Name	Registration Number	Мати	•	Number
		29,963	Andres Madri	d	40,710
Glenn F.		31,159	Lisa N. Bena		39,905
	Flaherty		Terje Gudmes		32,232
	. Broitman	30.000	Eric Satermo		40.159
Leighton		27,621	John D Paft	<u></u>	28,533
Manette [	Dennis  to represent the undersigned be	30,623 Interest States	To describe	Other (LSPTO) in (	concesion with
	THE MENT OF STREET, MADE AND	signed according to the	na USPTO acsignment re	cords of assignmen	AT OOCHWENE
	spondence with 37 CFR 3.73(b).				
Please change the corre	spondence address in the appro-	aport identified a true		1	
The address a	ssociated with Customer Numbe	4470	2		
OR			DC		
Firm or Individual Name	Ostrager Chong	Flaherty &	Broitman PC		<u></u>
Address	250 Park Avenu	e, Suite <u>825</u>		- T 712	
City	New York	T Charles	<u>Y</u>	<sup>2ip</sup> 10	177-0899
Country	USA		Email		
Ysicphone	(212) 681-0600				com
Assignee Name and Ad	100 N. Riversi Chicago, IL	ide Plaza 50606	·		
filed in each applic the practitioners at and must identify t	together with a statement etten in which this form is pointed in this form if the he application in which this	ppointed practitions Power of Attorne	oner is authorized to y is to be filed.	act on benan or	Tile Samilucal
The	individual whose significations and	CHATURE of Assign	ee or record w is authorized to ectum	behalf of the assign	Sec ·
Signature	15 10 10		and the same of th	Data Decembe	r 22. 2005
1 2	je Gudmestad	The state of the s		Telephone (949	<u>) 790-1374</u>
		กสาวลาง			
	27 (57 131 13		ion is required to obtain of P	mbains a Designal by this p A. This collection is ea	atu es estados partecimas atu es es existim regiona
to complete, including 99	thoring, preparing, and submitting the a clima you require to complete this	r town surper serification (	onth to the USP's U. Total with the for reducing this builded.	ationist be sent to the ISB DO NOT SEND	Collect Seasonmention (C)
FORMS TO THIS ADDR	est Office, U.S. Department of Co ESS, SEND TO: Commissions	r for Patents, P.Q. B	ox 1450, Amerenoria, Vi		

if you need assistance in complating the form, call 1-800-PTO-9199 and select option 2.

PTO/SB/96 (11-05)
Approved for use through 07/31/2008, DMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a consciou of singuistics	
STATEMENT UNDER 37 CFR 3.73(b)	
Applicant/Patent Owner. The Boeing Company	
Application No./Patent No.: see attached Filed/Issue Date: see att	ached
oplication No./Patent No.:	
Entitled:	
The Boeing Company a corporation	(C)
(Type of Assignee, e.g., corporation, p	entheratife, university, povernment agency, etc.)
states that it is: 1. X the assignee of the emire right, title, and interest; of	
show the action date title and interest	
(The extent (by percentage) of its ownership interest is%)	
in the patent application/patent identified above by virtue of either.	•
ير المراكب المراكب و	you. The assignment was recorded
A X An assignment from the inventor(s) of the patent application/patent tournised act in the United States Patent and Trademark Office at Real Frame	or for which a copy
es and in attached	
OR  B. A chain of title from the inventor(s), of the patent application/patent identified about the patent application of the form the inventor(s).	ove, to the current assignee as lowww.
1. From:	Office at
1. From:  The document was recorded in the United States Patent and Trademark  Reel Frame or for which a copy to	vereof is attached.
Reel, FIBING	·
2. From:	Office of
Rest Frame or for which a copy	thereof is attached.
3. From: The document was recorded in the United States Patent and Tredeman	( Office of my thereof is attached.
ReelPrame	, •
Additional documents in the chain of title are listed on a supplemental sheet	
and waste the decomposition of the chain of t	Rie from the original owner to the
OSSIGNED WAS OF CONCURRENTY IS DOUBLE OFFICIAL STREET	
	to receive his committed to Assignment
[NOTE: A separate copy (i.e., a true copy of the original assignment documents  Olyision in accordance with 37 CFR Part 3, to record the assignment in the	records of the USPTO. See MPEP
202.080	
The undersigned whose titles supplied belt of the transferred to act on behalf of the	assignee.
	DC-0-0-1-0-1
Signature	Date 1071
Terje Gudmestad	(949) 790-1374
Printed or Typed Name	Telephone Number
Counsel, The Boeing Company	
Counsel, the Boethy Company	

This extection of intermation is required by 37 CFR 3.73(b). The information is required to obtain or rotate a burnets by the public which is to see (and by the USPTO to process) an application. Confidentially is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is extingted to take 12 minutes to complete, including gestuaring, preparing, and submitting the completed application form to the USPTO. Time will very depending upon the including case. Any complete, including gestuaring, preparing, and submitting this form applier suggestions for reducing this burden, should be sent to the Chief information Officer. comments on the ground of time you require to complete this form applier suggestions for reducing this burden, should be sent to the Chief information Officer. U.S. Peters and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450.

FORMS TO THIS ADDRESS, SERD TO: Commits signing for Patients, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

	486	· 1985年,1986年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年,1987年	- · · · · · · · · · · · · · · · · · · ·	40 04 04	042274	0096
		WIDE-BANDGAP, LATTICE-MISMATCHED 0	9/976,508	12-Oct-01	0122/1	Onso
0253		WINDOW LAYER FOR A SOLAR ENERGY	1			
	:	CONVERSION DEVICE			04.4050	0577
	Ā	WIDE-BANDGAP, LATTICE-MISMATCHED	0/356,028	31-Jan-03	U14258	0311
0253	^	WINDOW LAYER FOR A SOLAR ENERGY	1			
		CONCEDSION DEVICE				2007
		ANTENNA FEEDFORWARD INTERFERENCE	9/853,475	11-May-01	011809	0297
00265	į	CANCELLATION SYSTEM	<u></u>			
	<del> </del>	SEMICONDUCTOR CIRCUITS AND DEVICES	9/850,773	08-May-01	011792	0263
00800		ON GERMANIUM SUBSTRATES				
		Liquid Hydrogen Fueled Aircraft with High Wing	29/189,740	10-Sep-03	016149	0392
D-065	C_		10/905,484	06-Jan-05	015532	0545
1-001	Ţ	Memod and System for recooning and a				
	<u>.</u>	Concentrations in Lap Joints  Method and System for Utilizing Low Pressure	10/404,742	01-Арт-03	013938	0241
1-1048	ţ	for Perforating and Consolidating an Uncured		,		
		for Penorating and Consolidating of Operation	,			
		Laminate Sheet in One Cycle of Operation	10/710,645	27-Jul-0	1014899	0101
1-1163	A	· I (M CIBILIE) veidice residence :			į	
La et monte	<u> </u>	With Elongated Overflow Groove	09/865,293	25-May-0	1.011860	0356
1-275			10/060,822			0533
1-458		Director Mainting Seattle Automic Character	10000,022			
	•	Communication Satellites	11/259,913	27-O-L0	5 012557	0533
71-458	Α	Dial-parm Multiple Death America Charles	1 (1209,913	2. 00.0		
•	}	Communication Satellites	10/137,974	03-May-0	2012869	0731
01-519		Electronic Network Filter for Classified	10/161,238		2 013209	0635
01-565	, ,	Aircraft Surface Ice Inhibitor			1012181	0775
01-572	J. 6 J.	A Method for Detecting Foreign Object Debris	09/954,404		3 013876	0735
01-704		Operating Point Independent Digital Automatic	10/389,034	 	3010010	
		Level Control	1402045 705	00 141	3 014267	0982
01-799		Redundant Power Distribution System	10/615,705		3013693	0930
01-926	· <u>[</u> - * ·	Closed-Loop Pointing System with Spot Beams	10/349,294	22-Jan-C	22 0 13030	0300
O I-GLO		and Wide-Area Beams	<u> </u>		0.043038	0234
01-965	<u> </u>	Method and System Having a Flowable	10/404,993	U1-Apr-	03 013938	10234
01-500	<u> </u>	Pressure Pad for Consolidating an Uncured		•	į	1
		aminate Sheet in a Cure Process			20004040	0150
02-0018		Thermographic System and Method for	10/274,273	18-Oct-	02 014219	0150
02-0010		Detecting Imperfections within a Bond			245450	0505
02-0033		Operational Ground Support System	10/847,739		04 015160	
02-003		Operational Ground Support System	10/711,610	28-Sep-	04 015193	0354
		Carry-On Luggage System for an Operational	11/163,405	5   18-Oct-	05 016655	0986
02-0033	, [	Ground Support System				0.155
00 005	<del> </del>	Low-Penetration-Force Pinmat for Perforating	10/397,003	3   25-Mar-	03 013918	0156
02-0050	1	an Uncured Laminate Sheet				
		Multi-Dimensional Fractional Number of Bits	10/142,46	1 10-May	02 012899	0867
02-012	3	Modulation Scheme				
		Increased Propellant Performance From Equal	10/327,31	7 20-Dec	02 013618	0959
02-0173	5 [	Volume Propellant Tanks				
		A Composite Dry Applicator	10/272,08	5 16-Oct	-02 013704	0926
02-025		Rechargeable Composite Pty Applicator	11/186,58	2 21-Jul	-05 01370	0928
02-025	<del></del>	Rechargeable Composite Ply Applicator			03 01364	0043
02-039	0 {	Dual Transmission Emergency Communication		Ì		i
	<u> </u>	System Corpo For Aerospace	10/236,36	1 06-Sen	-02 01327	6 0573
02-062	7 ;	Improved Honeycomb Cores For Aerospace				
ł	1	Applications				

	18000		Park Park	(E.): [[934]		
<b>医性效</b>	260	Communication System for Tracking Assets	10/310.457	05-Dec-02	U13554 L	JOIU.
-0667			10/382,187	05-Mar-03		0309
-0714	ة <u>1</u> ــ باد	Bullist Languight pooce in a second second	10/281,676	28-Oct-02	013434	0036
2-0718	į	Optical Differential Quadrature Phase-Shift	,4020,100			
		Keyed Decoder	10/613,253	03-Jul-03	014295	0258
2-0889		Constant Vertical State Mainteining Cueing	10013,230 (	DG 30. 34		
 1		System	40505 440	10-Feb-04	014318	0304
2-0930	A	COMMERCIAL AIRCRAFT ON-BOARD	10/708,110	10-1-60-0-1	0,40.0	•••
		INFRTING SYSTEM		05-Dec-02	043554	0714
2-1095		Programmable Messages for Communication	10/310,275	02-Dec-07	01355	
2-1000		System having One-Button User Interface		A	AASEEA	0606
2-1096		(Communications Protoco) for Mobile Device	10/310,481	05-Dec-02		
		On Orbit Variable Power High Power Amplifiers	10/365,359	12-Feb-03	013/64	0001
2-1150	•	for a Satellite Communications System				
	<u></u>	VARIABLE HIGH POWER AMPLIFIER WITH	10/431,903	08-May-03	014060	0978
2-1189	•	CONSTANT OVERALL GAIN FOR A			İ	i i
	•	SATELLITE COMMUNICATION SYSTEM				
المنسب معاجه المعامد	<u> </u>	SAIELLIE COMMUNICATION	10/310,751	05-Dec-02	013553	0935
72-1221	! 	Serial Port Multiplexing Protocol	10/707,173	25-Nov-03	014153	0797
12-1231	}	METHOD FOR PREPARING ULTRA-FINE,		, — -	į	1
	•	SUBMICRON GRAIN TITANIUM AND	. [			· L
	<u>:</u>	TITANIUM-ALLOY ARTICLES AND ARTICLES	' <b>{</b>	ţ		
	!	PREPARED THEREBY	140/207 022	03-Feb-0	013728	0097
02-1244	<u> </u>	Fiber Matrix for a Geometric Morphing Wing	10/357,022	<b>-1</b>		0840
02-1264		Resonator Box to Laser Cavity Interface for	10/398,804	24-MEI-0	013317	10010
VZ-124-	1	Chemical Laser		1	2044708	0030
02-1300	<u> </u>	A Pattern Method and System for Detecting	10/384,037	07-Mar-0	3014700	COCC
UZ-1300	}	Foreign Object Debris				10004
02-1349	_j 	Integrated Window Display	10/383,012			0001
	<del>-</del>	PPM RECEIVING SYSTEM AND METHOD	10/707,076	; 19-Nav-0	3 014140	0908
03-0030		USING TIME-INTERLEAVED INTEGRATORS		<u> </u>		
	<b>−</b> ┆··-·	Capacitive Acceleration Derivative Detector	10/604,537		3013834	
03-0138	_ <u>_</u>	AUTONOMOUSLY ASSEMBLED SPACE	10/605,797	28-Oct-0	3014080	10717
03-0192						
		TELESCOPE Cotalog	10/710,177	24-Jun-0	4014769	0432
03-0193	A	Fast Access, Low Memory, Pair Catalog	10/709,346		4 014554	
03-0196	•	Method and Apparatus for Real-Time Star	100100,01			
	i	Exclusion From A Database	10/710,17	24-1011-1	4 014769	0735
03-0197	A	Method and Appartus For On-Board	10,10,11			
	i	Autonomous Pair Catalog Generation	10000 DE	4 20 14054	14 014457	0228
03-0208		Variable-Duct Support Assembly	10/708,86		3014159	
03-0271		BEAMFORMING ARCHITECTURE FOR MUL	,TH100/07,21	1 20-1404-1	25 0 7120	10.0
	İ	REAM DHASED ARRAY ANTENNAS			04 04 4708	0966
03-0348		Aircraft Interior Configuration Detection System	n 110/710,28		04 014798	
03-0414		CRYOGENIC FUEL TANK INSULATION	10/605,59	9 11-Oct-	03 014041	10939
14		ASSEMBLY			 	
00 000		Aircraft Secondary Electric Load Controlling	10/604,18	9 30-Jun-	03 013765	0377
03-0431	• ]	i de la companya de la companya de la companya de la companya de la companya de la companya de la companya de	ļ	1		
	<u> </u>	GPS NAVIGATION SYSTEM WITH	10/605,89	04-Nov-	03 014100	0958
03-0489	•	INTEGRITY AND RELIABILITY MONITORIN		i i		
		INTEGRITAND RELIABILITY MORNING	re 10/953,72	6 29 Sep	04 015837	0448
03-0520	)	Integrated Capacitive Bridge Integrated Flexu	,			
		Functions Inertial Measurement Unit	10/707,96	5 28- lan	04 14287	0001
03-0527	7	Dynamic Seat Labeling and Passenger	10,101,90		}	
3	I	Identification System				

	المحدد المحدد		海流 化基础	12 12 13 12		
<b>2</b> (4.5)	3)1		10/904,978	08-Dec-04	015424	0962
0684	11					
	ļ	Utilizing a Constant Force and Installing Rivet		į		
į		Fasteners in a Sheet Metal Joint	10/709,620	18-May-04	014623	0324
-0755		Heavy Particle Lorentz 1 0100	10/688.624	17-Oct-03	014625	0753
-0835	į	Aircraft Archway Architectore	29/192,055	17-Oct-03	014628	0075
	Ä	INTERIOR ACCIMALY FOR ALL CARREST	10/908,140	28-Арг-05	014628	0075
	B	Alrcraft Interior Architecture	29/228,800	28-Apr-05	014628	0075
	C	Modular Archway for an Aircraft	11/160,192	13-Jun-05	1	0060
3-0885		Lightweight Composite Fairing Bar and Method	ו,טפרוןרן,	15 001. 50	}	
		for Manufacturing the Same	40/505 596	10-Oct-03	014040	0514
3-0925	,	Interior Seation Architecture for Aircraft	10/605,586	29-Apr-04	014557	0363
3-0963		MULTIPLE STAYOUT ZONES FOR GROUND	10/709,348	Zampiron	14400	
3-0505	<u> </u>	RASED BRIGHT OBJECT EXCLUSION		04 5 0	2014247	0512
3-1090	į·	Translucent, Flame Resistant Composite	10/707,612	24-D8¢-0	1014211	100.2
3- 1030		Materials	}		104440	0233
	<u> </u>	Shower System	10/708,749		4 U 1 4 4 4 4 C	0326
3-1104		Unauthorized Access Embedded Software	10/658,159	09-Sep-0	3 014490	0320
3-1129	1	Protection System			1= 1= 2	0000
	·	Undercut for Bushing Retention for SLS Details	10/710,144		4,014760	0698
3-1138		SLS for Tooling Applications	10/710,163		4 014767	10205
3-1140		Mandrel, Mandrel Removal and Mandrel	10/907,320	)   29-Mar-0	5 015838	0315
3-1308		Fabrication to Support a Monolithic Nacelle		į		
	ĺ	Fabrication to author a monorans re-	1			
	<u>.</u>	Composite Panel	110/952,952	29-Sep-0	4 015855	0647
3-1471	1	Extended Accuracy Variable Capacitance				
<u>.</u>	; } ;	Bridge Accelerometer	10/904,717	7 24-Nov-(	A 015391	0571
3-1526	ļ	Flexible Mandrel for Highly Contoured				
	ا 	Composite Stringer AN INTEGRATED TRANSPORT SYSTEM AN	0140/709 77	7 27-May-	014664	0676
04-0016	,A	AN INTEGRATED TRANSPORT STOTEM AND			}	
	į	METHOD FOR OVERHEAD STOWAGE AND		;		
	:	RETRIEVAL	11/028,09	4 U 03-Jan-	05 016178	0162
04-0054	Ā	REAL-TIME REFINEMENT METHOD OF	•			İ
		SPACECRAFT STAR TRACKER ALIGNMENT	į			1
	ļ	ESTIMATES	10/904,01	2 19-00	04 015267	0039
04-0070	;	Enhanced Pinmal for Manufacturing High-	[]W804,01	2 15-00		
		Strenth Perforated Laminate Sheets	1 40/700 91	O 28 Mar	04 014451	0789
04-0072		Overhead Space Access Conversion Monume	י ס, פטיליטר (זהי	20-IVIAN-		
<b>4 4 4 4 .</b>			•		04 01445	0168
04-0073	1	Slowable Spiral Staircase System for Overhead	и јаодова:	20 SA-MISH.	<b></b>	
		Space Access			04 01539	0122
04-0089		Determinant Assembly Features for Vehicle	10/904,80	12 30-NOV	-04 0 300	5 0
OH-OUDS		Shichines			04/04/4/3	5 0168
04-0092	<del></del>	Overhead Space Access Stowable Staircase	10/708,7	33 ZZ-Mar	04 01443	
04-0097	<u>-</u> - j 7	MANDREL WITH DIFFERENTIAL IN	10/904,7	09 24-Nov	-04 0 1222	.
Dd-0021	1	THERMAL EXPANSION TO ELIMINATE			0404000	5 0434
1	; <del></del> -	Method to Improve Properties of Aluminum	10/939,5	28   13-Sep	-04 01663	יינייטן ני
04-0137		Alloys Processed by Solid State Joining				4 0007
	\-	Segmented Flexible Barrel Lay-up Mandrel	10/904,8		-04 01540	4 0307
04-020		280MBURO LEYING DELLA COLLABORATION	10/711,5	53 24-Sec	-04 01517	1 0637
04-0304		Mist Delivery System		00 30-Nov	-04 0154C	3 0995
\ <u> </u>	4 1	Self-Locating Feature for a PI-Joint Assembly			<b>~04 0153</b> 9	9 0046
04-0384	~ —		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
\ <u> </u>	~ —	Minimum Bond Thickness Assembly Feature Assurance	ļ	85 15-Set		0758

ز د <del>ی این در</del> در مانی کرد	ole medi			Entry page .	Siller (ver	
		Articulated Spacecraft Seat and Stretcher	10/906,482	22-Feb-05	015694	0268
1-0588		Anculated Spacecraft Seat	10/905.483	06-Jan-05	015529	0975
4-0589		Composite Shell Spacecraft Seat  Adjustable Attenuation System for a Space Re-	10/907,931	21-Apr-05		0242
4-0590		Adjustable Attenuation System for a Operation		ì		
	,	Entry Vehicle Seat	10/906,757	04-Mar-05	015730	0858
4-0667		Airport Security System	10/907,786	15-Apr-05		0530
4-0681		Protective Cover and Tool Splash for Vehicle				
		Components	10/905,502	07-Jan-05	015543	0015
4-0741		Pivot Mechanism for Quick Installation of	101000,002			
		Stowage Bins or Rotating Items	10/907,600	07-Apr-05	015875	0804
4-0747		Stowable Table	11/102,401	08-Apr-05		0082
4-0765		Layered, Transparent Thermoplastic for	111102,401	40. <b>4</b> . 44		
;	<b></b>	Flammability Resistance	10/905,211	21-Dec-04	015477	0601
4-0791		Electromagnetic Mechanical Pulse Forming of	10/905,211	Z1-20-0-0-		
	_	Fluid Joints for High-Pressure Applications	40007 000	22-Арг-05	045036	0923
4-0793		Airplane Interior Systems	10/907,990			0742
4-0805		Compensated Composite Structure	10/994,848	,		0473
<b>)4-0824</b>	-	Aircraft Cart Transport and Stowage System	10/906,465			0879
)4-085 <u>9</u>	رسه.سده ا	Magnetic Null Accelerometer	10/905,007	The Parket of th		0395
04-0893		In-Process Vision Detection of Flaws and FOD	10/904,719	24-Nov-04	101000	0380
J. 0000	į	By Back Field Illumination			OAFOTT	0782
04-0914		Aircraft Sink with Integrated Waste Disposal	10/907,625	08-Apr-05	וושכרט	UTOZ
	i	Function		1		0040
04-0977	<u> </u>	Extended Accuracy Flexured Plate Dual	10/907,751	14-Apr-0!	MOJEXIA	0012
D-1"O311	•	Capacitance Accelerometer			100000	- 0500
04-0993		Design Methodology to Maximize the	10/907,973	22-Apr-0	5,015933	0523
U4-0333	ķ	Application of Direct Manufactured Aerospace		<u> </u>		
04-0993	Α	Flow Optimized Stiffener for Improving Rigidity	11/162,261	02-Sep-0	5 016490	0847
0 <del>4</del> -0333		of Ducting		<u> </u>		
04.4054	٠٠٠	Electromagnetic Mechanical Pulse Forming of	11/028,093	03-Jan-0	5,016176	0741
04-1054	Ì	Fluid Joints for Low-Pressure Applications				
	<del>-</del>	Jet Airplane Configuration	29/220,256	28-Dec-0	4 016210	0260
04-1137		Jet Airplane Configuration	29/220,254	28-Dec-0	4018209	0953
04-1137	A		29/220,255	28-Dec-0	4016210	0258
04-1137	B	Jet Airplane Configuration  Method and Apparatus for Optically Detecting	11/164,414		5 016808	0671
04-1240	1	Method and Apparatus to Optional December 1	1		Ì	
	<u>.</u>	and Identifying a Threat	10/907,729	13-Apr-0	5 015899	0016
04-1256	<u> </u>	Multi-Ring System for Fuselage Formation	11/163,957		5 016732	
04-1263		Integrally Damped Composite Aircraft Floor	11110000			
		Panels	11/163,001	30.500	S 016605	0244
05-0020		Integrated Wiring for Composite Structures	11/163,801		5 016708	
05-0084	_[	Aircraft Slowage Bin	11/160,950		5 016273	
05-0164		Multiple Attendant Galley	11/161,73	THE RESERVE OF THE PERSON NAMED IN	5 016403	
05-0263	1	Universal Apparatus for the Inspection,	117,101,10			}
	† :	Transportation, and Storage of Large Shell			: 	}
	<u>.i.</u> _	Structures	11/162,25	7 172-500	05 01649	0528
05-0288	_i_	Stringer Holding Device			05 01678	
05-0300	1	Ceiling Humination for Aircraft Interiors	11/164,26		05 01640	<del></del>
05-0302	1	Collapsible Guide for Non-Automated Area	11/161,76	a landa		
		Inspections	1,110-00	0 47 51	05 01679	5 0418
05-0355	7	Antenna Vibration Isolation Mounting System	11/164,30		05 01622	
05-0360		Renewable Superhydrophobic Coating	11/160,60			
05-0377	<del>~</del> ;	Flow Path Splitter Duct	11/163,13		05 01664	
05-0402	1	Rotor/Wing Dual Mode Hub Fairing System	11/162,92	4   28-Sep-	05 01659	7 0959

	The Production Very		15 11 05 045794	0030
	Dehumidifying Radome Vent	11/164,225	15-Nov-05 016781	0000
5-0410 5-0466	Environmentally Stable Hybrid Fabric System	11/163.614	25-Oct-05 016680	0681
i	for Exterior Protection of an Aircraft	11/162,333	07-Sep-05 01649	3 0797
5-0493	Space Depot For Spacecraft Resupply	11/162,474	12-Sep-05 01652	6 0855
5-0541	An Uploaded Lift Offset Rotor System For A	11/163,414	18-Oct-05 01665	4 0683
5-0723	Helicopter  Method to Control Thickness in Composite  Parts Cured on Closed Angle Tool	11/164,103	10-Nov-05 01676	2 0663